

NIC'S MINI SKIPS (PTY)LTD. T/A

EN131 AND
SANS COMPLIANT



Skip Hire and Ladders

Helping you reach new clean heights

CATALOGUE



Nico Greyling: 082 079 9469 | E-mail: nico@nmsl.co.za | www.nicsminiskips.co.za

DEDICATED SUPPLIER OF

MUNDO
LADDERS

DEDICATED SUPPLIER OF

BADGER
LADDERS



Skip Hire and Ladders
Helping you reach new clean heights

With NMS Ladder & Trolleys, you get to choose from a versatile range of ladders - step ladders for light, medium and heavy duty tasks, extension ladders for high-reach activities, and combination ladders offering the best of both worlds.

Enjoy the added advantage of nationwide delivery, ensuring our top-notch products reach your store, no matter where you are.

Choose NMS Ladder & Trolleys - choose quality, convenience, and a partner you can trust.

- * Nationwide delivery
- * Product & public liability
- * Manufactured to quality standards

MUNDO
LADDERS

BADGER
LADDERS

INSTITUTE
FOR WORK AT HEIGHT®



How to choose a ladder

A-frame Ladder (Single sided; Double sided)

Assuming height of 1.7m (add/subtract difference to ladder to buy based on your height)

Maximum reach height	Ladder to BUY
2.0m	3 step ladder – 0.9 metre ladder
2.3m	4 step ladder – 1.2 metre ladder
2.9m	6 step ladder – 1.8 metre ladder
3.5m	8 step ladder – 2.4 metre ladder
4.1m	10 step ladder – 3.0 metre ladder
4.7m	12 step ladder – 3.6 metre ladder
5.1m	14 step ladder – 4.2 metre ladder

Duty Rating

Household Ladder	Commercial Ladder	Industrial Ladder
Domestic Rating: 100kg	Medium Duty: 150kg	Heavy Duty: 175KG
Use for households- in and around your home	For commercial use or for the DIY enthusiasts.	Used for industrial and commercial use.
Cannot be used for commercial or trade.	Can be used for light industrial use.	Favoured by the contractors and tradespersons.
	SANS 50131 tested for professional rating.	

Do not exceed the working load.

TRADE ASSOCIATION

Contents Page

Medium Duty Range



Page 5



Page 6



Page 7



Page 8



Page 9



Page 10



Page 11



Page 12



Page 13



Page 14



Page 15



Page 16



Page 18



Page 19



Page 20



Page 21



Page 22

NIC'S MINI SKIPS (PTY)LTD. T/A

EN131 AND
SANS COMPLIANT



Skip Hire and Ladders

Helping you reach new clean heights




ALUMINIUM DOMESTIC SINGLE SIDED A-FRAME LADDER

100KG WORK LOAD



PINCH RESISTANT HINGES



ANTI-SLIP STEP



SLIP RESISTANT FEET

Product Information:

- 100kg weight rating
- Lightweight
- Slim profile for easy storage
- No slip ladder feet
- 6005A Alloy used for extra strength
- Anti pinch hinge
- Anti slip step for extra grip
- Riveted steps
- Maximum Working Load 100kg
- Retail

SKU	Range	Steps	Max Working Load	Height	Weight
MUDL1003	Light Duty	3	100kg	0.78m	1.75kg
MUDL1005	Light Duty	5	100kg	1.3m	2.75kg
MUDL1007	Light Duty	7	100kg	1.8m	3.75kg

ALUMINIUM DOMESTIC DOUBLE SIDED A-FRAME LADDER

100KG WORKING LOAD

ANTI-SLIP STEPS



PINCH RESISTANT HINGES



SLIP RESISTANT FEET



Product Information:

- 100kg weight rating
- Lightweight
- Slim profile for easy storage
- No slip ladder feet
- 6005A Alloy used for extra strength
- Anti pinch hinge
- Anti slip step for extra grip
- Riveted steps
- Maximum Working Load 100kg
- Retail

SKU	Range	Steps	Max Working Load	Height	Weight
MUDDL1003	Light Duty	3	100kg	0.78m	1.75kg
MUDDL1005	Light Duty	5	100kg	1.3m	2.75kg
MUDDL1007	Light Duty	7	100kg	1.8m	3.75kg
MUDDL1009	Light Duty	9	100kg	2.34m	4.95kg

ALUMINIUM SINGLE SIDED MEDIUM A-FRAME LADDER

150KG WORKING LOAD SABS SANS 50131



Product Information:

- Stable & durable double riveted and ant-pinch hinge
- Slip resistant ladder feet
- 6 Rivet connection to rail
- Innovative stile design
- Ideal for light industrial use
- Stable & Safe
- Innovative cap design with multifunctional tool slots & paint can holder
- Rust, Rot & Splinter proof
- Light weight durable ALUMINIUM construction
- 6005A Alloy used for extra strength
- 1 Year Warranty
- Maximum Working Load 150kg
- Retail

SKU	Range	Steps	Max Working Load	Height	Weight
MUN1004	Medium Duty	4	150kg	1.2m	3.85kg
MUN1006	Medium Duty	6	150kg	1.8m	5.48kg
MUN1008	Medium Duty	8	150kg	2.4m	7.05kg

PARTIAL FIBRE SINGLE SIDED A-FRAME LADDER

150KG WORK LOAD SABS SANS 50131

INNOVATIVE CAP DESIGN



PINCH RESISTANT HINGES



ANTI-SLIP STEP




Product Information:

- Stable & durable double riveted, anti-pinch hinge
- Slip resistant ladder feet
- 6 Rivet connection to rail
- Innovative stile design
- 1 Year warranty
- Maximum working load 150kg
- Non conductive of electricity
- Theft is reduced as there is no scrap value
- Fibre is weather and water resistant
- Innovative cap design with multifunctional tool slots & paint can holder
- Retail

SKU	Range	Max Working Load	Steps	Height	Weight
MUF1004	Medium Duty	150kg	4	1.2m	5.85kg
MUF1006	Medium Duty	150kg	6	1.8m	7.35kg
MUF1008	Medium Duty	150kg	8	2.4m	9.45kg
MUF1010	Medium Duty	150kg	10	3m	11.55kg
MUF1012	Medium Duty	150kg	12	3.6m	13.65kg
MUF1014	Medium Duty	150kg	14	4.2m	15.75kg
MUF1016	Medium Duty	150kg	16	4.8m	17.85kg

ALUMINIUM LEAN TO LADDER



Product Information:

- Slip resistant ladder feet
- Square rung for long term comfort
- Rectangular stiles for extra strength
- Maximum working load 150kg
- 6005A Alloy used for extra strength
- 1 Year Warranty
- Retail

SKU	Range	Max Working Load	Height	Weight
MUSL1002	Medium Duty	150kg	2.4m	4.3kg
MUSL1003	Medium Duty	150kg	3.4m	6kg
MUSL1004	Medium Duty	150kg	4.9m	8.45kg
MUSL1006	Medium Duty	150kg	6m	10.9kg

ALUMINIUM EXTENSION LADDER



Product Information:

- Slip resistant ladder feet
- Square rung for long term comfort
- Rectangular stiles for extra strength
- Safe working load
- Wide bracket and additional hooks for enhanced safety
- Maximum working load 150kg
- 6005A Alloy used for extra strength
- 1 Year Warranty
- Retail

SKU	Range	Max Working Load	Open Height	Closed Height	Weight
MUEL1006	Medium Duty	150kg	6m	3.43m	12kg
MUEL1007	Medium Duty	150kg	7.8m	4.2m	15.4kg
MUEL1009	Medium Duty	150kg	9m	4.85m	18.8kg

ALUMINIUM MULTIPURPOSE LADDER



Product Information:

- Slip resistant ladder feet
- Square rung for comfort
- Stabilizing bar
- Use it as an A-Frame; Lean To or stage ladder
- Pinch resistant, positive locking steel Galvanized hinges
- Lubricate hinges once a month
- Maximum working load 150kg
- Check on locks easily visible
- 6005A Alloy used for extra strength
- Retail

SKU	Range	Max Working Load	Open Height	Weight
MUMP1003	Medium Duty	150kg	3.5m	10.15kg

ALUMINIUM 5-IN-1 LADDER

STABILIZAING BAR



EXTRA SUPPORT AND EASY CARRY STRAP



VERSITILE DESIGN




Product Information:

- Versatile 5-in-1 free standing extending ladder, single lean to, A-frame, double sided step ladder, extension ladder
- When used as three section push-up extension ladder the height can be varied by 280mm increments
- The Solve safety lock ensure a conventional step ladder
- 6005A Alloy used for extra strength
- Robust all ALUMINIUM construction
- Square rung
- With stabilizing bar
- 1 Year warranty
- Maximum static load 150kg
- Retail

SKU	Range	Max Working Load	Open Height	Weight
5IN1M1005	Medium Duty	150kg	5.2m	13.35kg

ALUMINIUM 3-IN-1 LADDER



VERSATILE 3-IN-1



EXTRA SUPPORT AND CARRY STRAP



SLIP RESISTANT FEET

Product Information:

- Versatile 3-in-1 extention ladder, easily opens into an A-frame or a single lean to ladder
- When used as a two section push-up extension ladder, the height can be varied at 280mm increments
- The Solve safety lock ensure a conventional step ladder
- Wide foot base on the back legs gives a good sideways stability and strength
- Easy to store, can be used both inside and outside
- Rust, rot and splinter proof
- 1 Year Warranty
- Two rung overlap when extended
- 6005A Alloy used for extra strength
- Retail

SKU	Range	Max Working Load	Open Height	Weight
3IN1M1003	Medium Duty	150kg	3.5m	10.15kg

ALUMINIUM DUAL PURPOSE LADDER

PINCH RESISTANT HINGES
WITH SAFETY LOCK



SQUARE RUNGS



SLIP RESISTANT FEET



Product Information:

- Dual purpose ALUMINIUM ladder
- Positive locking steel galvanized hinges
- Non slip feet
- 6005A Alloy used for extra strength

- Square rungs
- Works as a double sided A-frame, 6 step A-frame & Lean To
- 1 Year warranty
- Retail

SKU	Range	Max Working Load	Height
MUDP1003	Medium Duty	150kg	3.65m


TELKOM FIBRE EXTENSION LADDER



SQUARE RUNGS



POLE RUNG & SAFETY PLASTIC
HOOKS & PLATES



SLIP RESISTANT FEET

Product Information:

- Non conductive of electricity
- Fibreglass push up extension ladder
- Slip resistant ladder feet
- Also available in fibreglass
- All steel components galvanized
- Stable & Safe
- Sections can be used separately as two single ladders
- Two rung overlap when extended
- 1 Year Warranty
- Maximum Working Load 150kg
- The following are optional extras:
 - V-Roller pole rung with safety sling
 - Cable roller pole rung with safety sling
 - Half moon pole rung
- Industrial

SKU	Range	Max Working Load	Open Height	Closed Height	Weight
MUFTEL1006	Medium Duty	150kg	6m	3.43m	15.35kg
MUFTEL1007	Medium Duty	150kg	7.6m	4.2m	19.37kg
MUFTEL1009	Medium Duty	150kg	9m	4.85m	22.25kg

TELKOM ALUMINIUM EXTENSION LADDER

SQAURE RUNGS



SLIP RESISTANT FEET



POLE RUNGS



Product Information:

- Manufactured to Telkom Specifications
- Slip resistant ladder feet
- Pole rung standard feature
- Also available in fibreglass
- All steel components galvanized
- Stable & Safe
- Rust, Rot & Splinter proof
- Sections can be used separately as two single ladders
- Two rung overlap when extended
- 1 Year Warranty
- Maximum Working Load 150kg
- 6005A Alloy used for extra strength
- Industrial

SKU	Range	Max Working Load	Open Height	Closed Height	Weight
MUTEL1006	Medium Duty	150kg	6m	5.8m	11.45kg
MUTEL1007	Medium Duty	150kg	7.8m	4.2m	14.07kg
MUTEL1009	Medium Duty	150kg	9m	4.85m	16kg



NIC'S MINI SKIPS (PTY)LTD. T/A

EN131 AND
SANS COMPLIANT



Skip Hire and Ladders

Helping you reach new clean heights



ALUMINIUM SINGLE SIDED MEDIUM A-FRAME LADDER

150KG WORKING LOAD SABS SANS 50131

INNOVATIVE CAP DESIGN



PINCH RESISTANT HINGES



ANTI-SLIP STEP



Product Information:

- Stable & durable double riveted, anti-pinch hinge
- Slip resistant ladder feet
- 6 Rivet connection to rail
- Innovative stile design
- 1 Year warranty
- Maximum working load 150kg
- Non conductive of electricity
- Theft is reduced as there is no scrap value
- Fibre is weather and water resistant
- Innovative cap design with multifunctional tool slots & paint can holder
- Retail

SKU	Range	Max Working Load	Steps	Height	Weight
BAN1004	Medium Duty	150kg	4	1.2m	5.85kg
BAN1006	Medium Duty	150kg	6	1.8m	7.35kg
BAN1008	Medium Duty	150kg	8	2.4m	9.45kg
BAN1010	Medium Duty	150kg	10	3m	11.55kg

ALUMINIUM SINGLE SIDED A-FRAME LADDER

PINCH RESISTANT HINGES



DOUBLE GUSSETS



SLIP RESISTANT FEET




Product Information:

- Top cap designed for tool assist
- Stable & durable double riveted and ant-pinch hinge
- Heavy Duty Ladder ideal for the engineering; building and industrial industry
- Slip resistant ladder feet
- 6 Rivet connection to rail
- Innovative stile design
- Safe working load 135kg
- Stable & Safe
- Rust, Rot & Splinter proof
- Light weight durable ALUMINIUM construction
- 6005A Alloy used for extra strength
- Additional bracing for extra support at the top and bottom
- 1 Year Warranty
- Maximum Working Load 170kg
- Industrial

SKU	Range	Steps	Max Working Load	Height
BAH1004	Heavy Duty	4	170kg	1.2m
BAH1006	Heavy Duty	6	170kg	1.8m
BAH1008	Heavy Duty	8	170kg	2.4m
BAH1010	Heavy Duty	10	170kg	3m
BAH1012	Heavy Duty	12	170kg	3.6m
BAH1014	Heavy Duty	14	170kg	4.2m
BAH1016	Heavy Duty	16	170kg	4.8m

ALUMINIUM DOUBLE SIDED A-FRAME LADDER




Product Information:

- Stable & durable double riveted and ant-pinch hinge
- Heavy Duty Ladder ideal for the engineering; building and industrial industry
- Slip resistant ladder feet
- 6 Rivet connection to rail
- Innovative stile design
- Safe working load 135kg
- Stable & Safe
- Rust, Rot & Splinter proof
- Light weight durable ALUMINIUM construction
- 6005A Alloy used for extra strength
- Additional bracing for extra support
- 1 Year Warranty
- Maximum Working Load 170kg
- Industrial

SKU	Range	Steps	Max Working Load	Height
BAD1003	Heavy Duty	3	150kg	0.9m
BAD1004	Heavy Duty	4	170kg	1.2m
BAD1006	Heavy Duty	6	170kg	1.8m
BAD1008	Heavy Duty	8	170kg	2.4m
BAD1010	Heavy Duty	10	170kg	3m
BAD1012	Heavy Duty	12	170kg	3.6m
BAD1014	Heavy Duty	14	170kg	4.2m
BAD1016	Heavy Duty	16	170kg	4.8m

FULL FIBRE SINGLE SIDED A-FRAME LADDER


INNOVATIVE CAP DESIGN



6 RIVET CONNECTIONS



SLIP RESISTANT FEET



Product Information:

- Stable & durable double riveted and ant-pinch hinge
- Slip resistant ladder feet
- 6 Rivet connection to rail
- Ideal for heavy industrial use
- Stable & Safe
- Rust, Rot & Splinter proof
- Additional bracing for extra support at the top and bottom
- Non Conductive of electricity

- 1 Year Warranty
- Maximum Working Load 170kg
- Theft is reduced as there is no scrap value on fibre
- Fibre is weather and water resistant
- Innovative cap design with multifunctional tool slots & paint can holder
- Industrial

SKU	Range	Steps	Max Working Load	Height	Weight
BAFF1004	Heavy Duty	4	170kg	1.2m	6.29kg
BAFF1006	Heavy Duty	6	170kg	1.8m	9.51kg
BAFF1008	Heavy Duty	8	170kg	2.4m	12.73kg
BAFF1010	Heavy Duty	10	170kg	3m	15.95kg
BAFF1012	Heavy Duty	12	170kg	3.6m	19.17kg
BAFF1014	Heavy Duty	14	170kg	4.2m	22.33kg
BAFF1016	Heavy Duty	16	170kg	4.8m	25.61kg

FULL FIBRE DOUBLE SIDED A-FRAME LADDER



Product Information:

- Stable & durable double riveted and ant-pinch hinge
- Slip resistant ladder feet
- 6 Rivet connection to rail
- Innovative stile design
- Ideal for heavy industrial use
- Stable & Safe
- Rust, Rot & Splinter proof
- Additional bracing for extra support at the top and bottom
- Non Conductive of electricity
- 1 Year Warranty
- Maximum Working Load 170kg
- Theft is reduced as there is no scrap value on fibre
- Fibre is weather and water resistant
- Innovative cap design with multifunctional tool slots & paint can holder
- Available in steel & ALUMINIUM rivets
- Industrial

SKU	Range	Steps	Max Working Load	Height	Weight
BADFF1004	Heavy Duty	4	170kg	1.2m	7.6kg
BADFF1006	Heavy Duty	6	170kg	1.8m	12.5kg
BADFF1008	Heavy Duty	8	170kg	2.4m	17.4kg
BADFF1010	Heavy Duty	10	170kg	3m	22.3kg
BADFF1012	Heavy Duty	12	170kg	3.6m	27.2kg
BADFF1014	Heavy Duty	14	170kg	4.2m	32.1kg
BADFF1016	Heavy Duty	16	170kg	4.8m	37kg

ALUMINIUM HEAVY DUTY INDUSTRIAL EXTENSION LADDER

ROPE & PULLEY SYSTEM



INTERLOCK SIDE STILES



SQUARE RUNGS




FLAG TO BE HUNG AT
END OF LADDER WHEN IN
TRANSIT SHOULD LADDER
EXTEND VEHICLE

Product Information:

- Unmatched combined benefits
- Solve is the only company that provides the benefits of flat platform rungs combined with box section side rails
- Our platform rungs give increased safety and comfort while reducing fatigue
- The box side stiles stop the ladder from twisting the way a "C" stile would
- The box side stiles give good sideways stability
- The rung/stile joint reduces war preventing the loosening of rungs
- Our Platform rungs are about 4 times stronger than the round rung and will not bend
- The larger rung prevents the rungs from pulling out of the side stiles
- The interlock side stiles eliminate clamps and damage often associated with clamps
- 6005A Alloy used for extra strength
- The Solve safety ladder locks prevent accidental lowering of the ladder and related dangers
- Square rungs prevent rung turn
- Solve rope and pulley system ensures for easy extension
- Maximum Working load 170kg
- 1 Year warranty
- Extra add ons:
 - Spike feet
 - Cable roller pole rung
 - Side rope
 - Swivel feet
 - V-roller pole rung
- Industrial

SKU	Range	Max Working Load	Open Height	Closed Height
BAHEL1009	Heavy Duty	170kg	9m	4.8m
BAHEL1010	Heavy Duty	170kg	10.2m	5.2m
BAHEL1011	Heavy Duty	170kg	11.4m	6m
BAHEL1012	Heavy Duty	170kg	12m	6.3m
BAHEL1013	Heavy Duty	170kg	12.9m	6.9m
BAHEL1014	Heavy Duty	170kg	14m	7.5m

BADGER FIBREGLASS EXTENSION LADDER



Product Information:

- Feature 'D' shaped rungs
- Rungs are made from aluminium and are serrated for slip resistance.
- Rungs are joined to heavy duty aluminium side plated and riveted to the rails with four solid rivets
- Polyethylene rung wear sleeves separate aluminium from fiberglass to help reduce wear
- Spring assisted heavy duty nylon gravity rung locks
- Heavy duty mild steel spike feet
- Heavy-duty free-swinging and self-aligning safety shoe with slip-resistant tread
- Two sets of high-strength steel guides


- Type 1A fiberglass extension model 580
- These ladders are lightweight yet sturdy
- Available in 90 channel
- Safe working load 136kg
- Maximum Static Vertical Load Rating MSVL – 150 kg

Extra features:


- Spike feet
- Cable roller pole rung
- Nylon or aluminium locks
- Side Rope
- Swivel feet
- V-roller pole rung

SKU	Range	Max Working Load	Open Height	Closed Height
BAFEL1057	Heavy Duty	170kg	5.7m	3.3m
BAFEL1063	Heavy Duty	170kg	6.3m	3.6m
BAFEL1076	Heavy Duty	170kg	7.6m	4.2m
BAFEL1087	Heavy Duty	170kg	8.7m	4.8m
BAFEL1096	Heavy Duty	170kg	9.6m	5.4m
BAFEL10111	Heavy Duty	170kg	11.1m	6.3m
BAFEL10123	Heavy Duty	170kg	12.3m	6.6m


STEEL FOLD UP TROLLEY



SOLID RUBBER WHEELS



VERSATILE FOLDING NOSE



FOLDING FOR EASY STORAGE

Product Information:

- Industrial fold up trolley
- Solid rubber wheels
- Versatile folding nose for storage
- Tubular construction
- Ideal for delivery & warehousing
- Available in 3 sizes



SKU	Product Description	Max Working Load	Height	Weight	Width	Length
FN1	Medium Folding Nose Trolley	220kg	1.17m	11.7kg	610mm	695mm
FN2	Large Folding Nose Trolley	220kg	1.17m	12.8kg	650mm	695mm
FN3	Small Folding Nose Trolley	220kg	1.14m	10.5kg	530mm	680mm

Why Choose NMS Ladder & Trolleys

At NMS Ladders & Trolleys, we are committed to providing the highest quality ladders for a variety of industries, including construction, industrial, household, mining, manufacturing, and retail. Our products are designed and manufactured to meet rigorous standards, ensuring that our customers receive reliable, safe, and durable ladders for their needs.

Here are the top reasons to choose NMS Ladders & Trolleys for your ladder requirements:

1. Quality and Compliance:

Our ladders are manufactured to meet SABS SANS 50131 and EN 131 standards, ensuring the highest level of quality and safety. We take pride in offering products that not only meet but exceed industry requirements. Testing Reports are available on request. We use extra aluminium on our ladders ensuring our ladders can withstand the daily handling on site.

2. Wide Range of Products:

We offer a comprehensive range of aluminium and fiberglass step ladders and extension ladders under our NMS Ladders & Trolleys brands, catering to various applications, environments, and industries. For household, commercial and industrial use.

3. Fast and Reliable Delivery:

We understand that timely delivery is crucial for our customers. That's why we offer national and international shipping, including into the SADC region and Europe, with quick delivery times. We aim to deliver your stock within 3-5 days nationally and 2 weeks in the SADC region. Need an urgent delivery- we offer next day national delivery at an extra fee. We also offer collection at our Pinetown Branch in KZN, South Africa. Contact us for international delivery quotes.

4. Exceptional Customer Service

Our team is dedicated to providing outstanding customer support, from assisting with product selection to addressing any concerns or inquiries. We value our customers and strive to ensure a smooth and satisfying experience at every stage of the purchasing process.

5. Competitive Pricing:

At NMS Ladders & Trolleys, we offer competitive pricing without compromising on quality. We aim to provide our customers with the best value for their investment.

6. Stockholding:

We aim to keep stock for our customers based on the monthly orders, allowing us to dispatch the same day, ensuring your customers always has stock to buy.

7. Industry Expertise:

With years of experience in the ladder manufacturing business, we have developed extensive knowledge and expertise in meeting the diverse needs of our clients. We understand the unique challenges and requirements of various industries and work closely with our customers to provide tailored solutions.

8. Commitment to Innovation:

We are continually researching and implementing new technologies and materials to improve our products, ensuring that we remain at the forefront of the ladder industry.

9. Warranty:

We offer a 1-year warranty on all our products for any manufacturer queries.

10. Repairs and Spare parts:

Contact us for repair advice. We also provide spare parts such as ladder feet and ladder caps.

Choose NMS Ladders & Trolleys for all your ladder needs and experience the difference that quality, reliability, and exceptional service can make. Contact us today to learn more about our products and how we can support your business.

Nico Greyling
082 079 9469 (KZN)
E-mail: nico@nmsl.co.za
www.nicsminiskips.co.za

.....

Noel Seenivassen
060 171 2462 (KZN)
083 792 6654 (Whatsapp only)
E-mail: noelseenivassen@gmail.com




DEDICATED SUPPLIER OF

BADGER
LADDERS

DEDICATED SUPPLIER OF

MUNDO
LADDERS



SCAN ME
to visit our website